

CONTINUED REPORT

GLEN ELLYN ANIMAL HOSPITAL
21 SOUTH PARK BOULEVARD
GLEN ELLYN IL 60137

IDEXX LABORATORY SERVICES
Online results at www.vetconnect.com
1-888-433-9987

630 469-7400

ACCOUNT #: 70445

Hwt

Ursula 8-4-11

PATIENT: IBR, URSULA

REQ #: 17279563

LAB #: 15748650

AGE:

SEX: F

COLLECTED: 08/04/2011

SPECIES:

RECEIVED: 08/04/2011 22:53

BREED:

REPORTED: 08/05/2011 05:33

DOCTOR:

TEST PROCEDURES

RESULTS

REFERENCE RANGE

UNITS

WBC

9.6

THOUS./uL

INDICES SUGGEST THAT SPECIES IS A CANINE.

RBC

6.34

MILLION/uL

HGB

13.7

g/dL

HCT

38.6

%

MCV

61

fL

MCH

21.6

pg

MCHC

35.5

g/dL

NEUTROPHIL SEG

66

%

LYMPHOCYTES

22

%

MONOCYTES

5

%

EOSINOPHIL

7

%

BASOPHIL

0

%

AUTO PLATELET

218

THOUS./uL

REMARKS

SLIDE REVIEWED MICROSCOPICALLY.

NORMOCHROMIC

PLATELETS- CLUMPED

MICROCLOTS PRESENT. CLOT MAY AFFECT BLOOD COUNT AND PLATELET DETERMINATION.

NO PARASITES SEEN

ABSOLUTE NEUTROPHIL SEG

6336

/uL

ABSOLUTE LYMPHOCYTE

2112

/uL

ABSOLUTE MONOCYTE

480

/uL

ABSOLUTE EOSINOPHIL

672

/uL

ABSOLUTE BASOPHIL

0

/uL

SAMPLE/TEST INFO NEEDED

The species was not indicated on the requisition form.
Please call Laboratory Services to verify. Thank you.

Lyme kidney 4:00
60-77
12-30

IBR, URSULA

*** FINAL REPORT ***

PAGE 2 OF 2

8/8 fused

HWT Start doxycycline

GLEN ELLYN ANIMAL HOSPITAL
21 SOUTH PARK BOULEVARD
GLEN ELLYN IL 60137

IDEXX LABORATORY SERVICES
Online results at www.vetconnect.com
1-888-433-9987

630 469-7400

ACCOUNT #: 70445

Ursula 8-4-11

PATIENT: IBR, URSULA

REQ #: 17279563

LAB #: 15748669

AGE: SEX: F

COLLECTED: 08/04/2011

SPECIES:

RECEIVED: 08/04/2011 22:53

BREED:

REPORTED: 08/08/2011 09:36

DOCTOR:

TEST PROCEDURES
TICK PANEL

RESULTS

REFERENCE RANGE UNITS

EHRLICHIA CANIS AB IFA

EHRLICHIA CANIS AB

NEGATIVE

Interpretation:

If your result is:

NEGATIVE

POSITIVE @ (titer)

The interpretation is:

No antibody present @ 1:25

Antibody present @ (titer)

Positive samples are tested in incremental dilutions to 1:3200. Titers beyond 1:3200 are usually of limited clinical value. If you wish an endpoint titer there is an additional charge. A positive titer indicates exposure to E.canis or similar antigen but does not confirm the presence of disease. A CBC is recommended to identify abnormalities consistent with infection. If confirmation of infection is desired, Ehrlichia PCR test, code 2634 can be useful, especially in clinically sick animals.

LYME (BORRELIOSIS) TITER

LYME (BORRELIOSIS) TITER

NEGATIVE

< 1:100 retest

Interpretation:

If your result is:

NEGATIVE

POSITIVE @ (titer)

The interpretation is:

No antibody present @ 1:100

Antibody present @ (titer)

Positive samples are tested in incremental dilutions to 1:12,800. A positive titer indicates exposure to Borrelia burgdorferi or similar

IBR, URSULA

FINAL REPORT - CONTINUED ON NEXT FORM

PAGE 1

CONTINUED REPORT

GLEN ELLYN ANIMAL HOSPITAL
21 SOUTH PARK BOULEVARD
GLEN ELLYN IL 60137

IDEXX LABORATORY SERVICES
Online results at www.vetconnect.com
1-888-433-9987

630 469-7400 ACCOUNT #: 70445

PATIENT: IBR, URSULA

REQ #: 17279563 LAB #: 15748669
AGE: SEX: F COLLECTED: 08/04/2011
SPECIES: RECEIVED: 08/04/2011 22:53
BREED: REPORTED: 08/08/2011 09:36

DOCTOR:

TEST PROCEDURES RESULTS REFERENCE RANGE UNITS
antigen but does not confirm the presence of disease. Titers may be affected by vaccination or disease. In the dog, a Western Blot Test (code 936) is recommended for differentiating vaccine titers vs. natural infection.

IN DOGS, we are now recommending the new Lyme Quant C6 antibody test, code 7246, as a more accurate way to diagnose Lyme disease. This test identifies C6 antibody levels. C6 is a more sensitive and specific marker for active Lyme infection. Unlike the traditional whole cell tests like Lyme IFA or Western blot, C6 levels will decline when the dog is successfully treated.

ROCKY MOUNTAIN SPOTTED FVR NEGATIVE
RUN AS CANINE, RESULTS NOT VALID FOR OTHER SPECIES.

1:25 retest

Interpretation:

If your result is: The interpretation is:
NEGATIVE No antibody present @ 1:25
POSITIVE @ (titer) Antibody present @ (titer)

Positive samples are tested in incremental dilutions to 1:1600. Titers beyond 1:1600 are usually of limited clinical value. If you wish an endpoint titer there is an additional charge. Singles titer of greater than or equal to 1:1024 are suggestive of active infection. Low or negative acute titers should be reevaluated in 2-3 weeks (convalescent titer).

SAMPLE/TEST INFO NEEDED

The species was not indicated on the requisition form. Please call Laboratory Services to verify. Thank you.

IBR, URSULA

*** FINAL REPORT ***

PAGE 2 OF 2

copy

GLEN ELLYN ANIMAL HOSPITAL
21 SOUTH PARK BOULEVARD
GLEN ELLYN IL 60137

IDEXX LABORATORY SERVICES
Online results at www.vetconnect.com
1-888-433-9987

630 469-7400 ACCOUNT #: 70445

9-13-11

PATIENT: BIRD DOG RESCUE, URSULA

REQ #: 17279528 LAB #: T6595134
AGE: 7 SEX: F COLLECTED: 09/13/2011
SPECIES: CANINE RECEIVED: 09/13/2011 22:37
BREED: POINTER REPORTED: 09/16/2011 08:55

DOCTOR: BAUER

TEST PROCEDURES	RESULTS	REFERENCE RANGE	UNITS
TICK PANEL			
EHRlichia CANIS AB IFA			
EHRlichia CANIS AB	NEGATIVE		

Interpretation:

If your result is:	The interpretation is:
NEGATIVE	No antibody present @ 1:25
POSITIVE @ (titer)	Antibody present @ (titer)

Positive samples are tested in incremental dilutions to 1:3200. Titers beyond 1:3200 are usually of limited clinical value. If you wish an endpoint titer there is an additional charge. A positive titer indicates exposure to E.canis or similar antigen but does not confirm the presence of disease. A CBC is recommended to identify abnormalities consistent with infection. If confirmation of infection is desired, Ehrlichia PCR test, code 2634 can be useful, especially in clinically sick animals.

LYME (BORRELIOSIS) TITER
LYME (BORRELIOSIS) TITER POSITIVE @ 1:100

Interpretation:

If your result is:	The interpretation is:
NEGATIVE	No antibody present @ 1:100
POSITIVE @ (titer)	Antibody present @ (titer)

Positive samples are tested in incremental dilutions to 1:12,800. A positive titer indicates exposure to Borrelia burgdorferi or similar

Based 9/16/11

422 7451

CONTINUED REPORT

GLEN ELLYN ANIMAL HOSPITAL
21 SOUTH PARK BOULEVARD
GLEN ELLYN IL 60137

IDEXX LABORATORY SERVICES
Online results at www.vetconnect.com
1-888-433-9987

630 469-7400 ACCOUNT #: 70445

PATIENT: BIRD DOG RESCUE, URSULA

REQ #:	17279528	LAB #:	I6595134
AGE:	7	SEX:	F
SPECIES:	CANINE	COLLECTED:	09/13/2011
BREED:	POINTER	RECEIVED:	09/13/2011 22:37
		REPORTED:	09/16/2011 08:55

DOCTOR: BAUER

TEST PROCEDURES	RESULTS	REFERENCE RANGE	UNITS
antigen but does not confirm the presence of disease. Titers may be affected by vaccination or disease. In the dog, a Western Blot Test (code 936) is recommended for differentiating vaccine titers vs. natural infection.			

IN DOGS, we are now recommending the new Lyme Quant C6 antibody test, code 7246, as a more accurate way to diagnose Lyme disease. This test identifies C6 antibody levels. C6 is a more sensitive and specific marker for active Lyme infection. Unlike the traditional whole cell tests like Lyme IFA or Western blot, C6 levels will decline when the dog is successfully treated.

ROCKY MOUNTAIN SPOTTED FVR POSITIVE @ 1:400

Interpretation:

If your result is:	The interpretation is:
NEGATIVE	No antibody present @ 1:25
POSITIVE @ (titer)	Antibody present @ (titer)

Positive samples are tested in incremental dilutions to 1:1600. Titers beyond 1:1600 are usually of limited clinical value. If you wish an endpoint titer there is an additional charge. Singles titer of greater than or equal to 1:1024 are suggestive of active infection. Low or negative acute titers should be reevaluated in 2-3 weeks (convalescent titer).

faxed 9/16/11

faxed 2/26
(630) 422-7451

GLEN ELLYN ANIMAL HOSPITAL
21 SOUTH PARK BOULEVARD
GLEN ELLYN IL 60137

IDEXX LABORATORY SERVICES
Online results at www.vetconnect.com
1-888-433-9987

630 469-7400 ACCOUNT #: 70445

PATIENT: BIRD DOG, URSULA

REQ #: 17279584 LAB #: I0369305
AGE: SEX: F COLLECTED: 02/25/2012
SPECIES: CANINE RECEIVED: 02/25/2012 20:32
BREED: PANTER REPORTED: 02/26/2012 05:33

DOCTOR: BUI SHAS

TEST PROCEDURES

HEARTWORM AG ELISA

HEARTWORM ANTIGEN - ELISA

TOTAL HEALTH

CHEM 27

TEST PROCEDURES	RESULTS	REFERENCE RANGE	UNITS
HEARTWORM ANTIGEN - ELISA	POSITIVE (RESULT HAS BEEN DUPLICATED)		
ALK. PHOSPHATASE	44	10-150	U/L
ALT (SGPT)	48	5-107	U/L
AST (SGOT)	31	5-55	U/L
CK	281 (H)	10-200	U/L
GGT	6	0-14	U/L
AMYLASE	475	450-1240	U/L
LIPASE	528	100-750	U/L
ALBUMIN	3.2	2.5-4.0	g/dL
TOTAL PROTEIN	5.7	5.1-7.8	g/dL
GLOBULIN	2.5	2.1-4.5	g/dL
TOTAL BILIRUBIN	0.1	0.0-0.4	mg/dL
DIRECT BILIRUBIN	0.1	0.0-0.2	mg/dL
BUN	21	7-27	mg/dL
CREATININE	1.2	0.4-1.8	mg/dL
CHOLESTEROL	145	112-328	mg/dL
GLUCOSE	87	60-125	mg/dL
CALCIUM	9.5	8.2-12.4	mg/dL
PHOSPHORUS	4.3	2.1-6.3	mg/dL
TCO2 (BICARBONATE)	23	17-24	mEq/L
CHLORIDE	113	105-115	mEq/L
POTASSIUM	4.8	4.0-5.6	mEq/L
SODIUM	147	141-156	mEq/L
A/G RATIO	1.3	0.6-1.6	
B/C RATIO	17.5		
INDIRECT BILIRUBIN	0.0	0-0.3	mg/dL

BIRD DOG, URSULA

FINAL REPORT - CONTINUED ON NEXT FORM

PAGE 1

CONTINUED REPORT

GLEN ELLYN ANIMAL HOSPITAL
 21 SOUTH PARK BOULEVARD
 GLEN ELLYN IL 60137

IDEXX LABORATORY SERVICES
 Online results at www.vetconnect.com
 1-888-433-9987

630 469-7400 ACCOUNT #: 70445

PATIENT: BIRD DOG, URSULA

REQ #: 17279584 LAB #: I0369305
 AGE: SEX: F COLLECTED: 02/25/2012
 SPECIES: CANINE RECEIVED: 02/25/2012 20:32
 BREED: PANTER REPORTED: 02/26/2012 05:33

DOCTOR: BUI SHAS

TEST PROCEDURES	RESULTS	REFERENCE RANGE	UNITS
NA/K RATIO	31	27-40	
HEMOLYSIS INDEX	+		
Index of N,+,++ exhibits no significant effect on chemistry values.			
LIPEMIA INDEX	N		
Index of N,+,++ exhibits no significant effect on chemistry values.			
ANION GAP	16	12-24	mEq/L
CBC COMPREHENSIVE			
WBC	7.4	5.7-16.3	K/uL
RBC	6.50	5.5-8.5	M/uL
HGB	15.6	12-18	g/dL
HCT	43.9	37-55	%
MCV	68	60-77	fL
MCH	24.0	19.5-26.0	pg
MCHC	35.5	32-36	g/dL
NEUTROPHIL SEG	63	60-77	%
LYMPHOCYTES	27	12-30	%
MONOCYTES	3	3-10	%
EOSINOPHIL	7	2-10	%
BASOPHIL	0	0-1	%
AUTO PLATELET	285	164-510	K/uL
REMARKS			
SLIDE REVIEWED MICROSCOPICALLY.			
NORMOCHROMIC			
NO PARASITES SEEN			
ABSOLUTE NEUTROPHIL SEG	4662	3000-11500	/uL
ABSOLUTE LYMPHOCYTE	1998	1000-4800	/uL
ABSOLUTE MONOCYTE	222	150-1350	/uL
ABSOLUTE EOSINOPHIL	518	100-1250	/uL
ABSOLUTE BASOPHIL	0	0-100	/uL

BIRD DOG, URSULA

*** FINAL REPORT ***

PAGE 2 OF 2

Ursula 2-25-12

GLEN ELLYN ANIMAL HOSPITAL
21 SOUTH PARK BOULEVARD
GLEN ELLYN IL 60137

IDEXX LABORATORY SERVICES
Online results at www.vetconnect.com
1-888-433-9987

630 469-7400 ACCOUNT #: 70445

PATIENT: BIRD DOG, URSULA

REQ #: 17279584 LAB #: I0369299
AGE: SEX: F COLLECTED: 02/25/2012
SPECIES: CANINE RECEIVED: 02/25/2012 20:32
BREED: PANTER REPORTED: 02/29/2012 11:34

DOCTOR: BUTSHAS

TEST PROCEDURES

TICK PANEL

EHRlichia CANIS AB IFA

EHRlichia CANIS AB

RESULTS

NEGATIVE

REFERENCE RANGE UNITS

Interpretation:

If your result is:
NEGATIVE
POSITIVE @ (titer)

The interpretation is:
No antibody present @ 1:25
Antibody present @ (titer)

Positive samples are tested in incremental dilutions to 1:3200. Titers beyond 1:3200 are usually of limited clinical value. If you wish an endpoint titer there is an additional charge. A positive titer indicates exposure to E.canis or similar antigen but does not confirm the presence of disease. A CBC is recommended to identify abnormalities consistent with infection. If confirmation of infection is desired, Ehrlichia PCR test, code 2634 can be useful, especially in clinically sick animals.

LYME (BORRELIOSIS) TITER

LYME (BORRELIOSIS) TITER

NEGATIVE

Below 1:100?

Interpretation:

If your result is:
NEGATIVE
POSITIVE @ (titer)

The interpretation is:
No antibody present @ 1:100
Antibody present @ (titer)

Positive samples are tested in incremental dilutions to 1:12,800. A positive titer indicates exposure to Borrelia burgdorferi or similar

BIRD DOG, URSULA

FINAL REPORT - CONTINUED ON NEXT FORM

PAGE 1

CONTINUED REPORT

GLEN ELLYN ANIMAL HOSPITAL
21 SOUTH PARK BOULEVARD
GLEN ELLYN IL 60137

IDEXX LABORATORY SERVICES
Online results at www.vetconnect.com
1-888-433-9987

630 469-7400 ACCOUNT #: 70445

PATIENT: BIRD DOG, URSULA

REQ #: 17279584 LAB #: I0369299
AGE: SEX: F COLLECTED: 02/25/2012
SPECIES: CANINE RECEIVED: 02/25/2012 20:32
BREED: PANTER REPORTED: 02/29/2012 11:34

DOCTOR: BUISHAS

TEST PROCEDURES	RESULTS	REFERENCE RANGE	UNITS
antigen but does not confirm the presence of disease. Titers may be affected by vaccination or disease. In the dog, a Western Blot Test (code 936) is recommended for differentiating vaccine titers vs. natural infection.			

IN DOGS, we are now recommending the new Lyme Quant C6 antibody test, code 7246, as a more accurate way to diagnose Lyme disease. This test identifies C6 antibody levels. C6 is a more sensitive and specific marker for active Lyme infection. Unlike the traditional whole cell tests like Lyme IFA or Western blot, C6 levels will decline when the dog is successfully treated.

ROCKY MOUNTAIN SPOTTED FVR POSITIVE @ 1:50

Interpretation:

If your result is:	The interpretation is:
NEGATIVE	No antibody present @ 1:25
POSITIVE @ (titer)	Antibody present @ (titer)

Positive samples are tested in incremental dilutions to 1:1600. Titers beyond 1:1600 are usually of limited clinical value. If you wish an endpoint titer there is an additional charge. Singles titer of greater than or equal to 1:1024 are suggestive of active infection. Low or negative acute titers should be reevaluated in 2-3 weeks (convalescent titer).

BIRD DOG, URSULA

*** FINAL REPORT ***

PAGE 2 OF 2

Client: SZPONER, PAMELA (0774-2)
 Patient Name: URSULA
 Species: Canine
 Breed:

Gender: Female/Spayed
 Weight: 42.0 lbs
 Age: 8 Years
 Doctor:

Animal Care Hospital of
 Schiller Park, P.C.
 9726 Irving Park Rd.
 Schiller Park, IL 60176

Test	Results	Reference Interval	LOW	NORMAL	HIGH
LaserCyte (May 2, 2015 2:54 PM)					
RBC	7.31 M/ μ L	5.50 - 8.50			
HCT	48.8 %	37.0 - 55.0			
HGB	15.8 g/dL	12.0 - 18.0			
MCV	66.8 fL	60.0 - 77.0			
MCH	21.7 pg	18.5 - 30.0			
MCHC	32.5 g/dL	30.0 - 37.5			
RDW	16.1 %	14.7 - 17.9			
%RETIC	0.7 %				
RETIC	52.4 K/ μ L	10.0 - 110.0			
WBC	7.01 K/ μ L	5.50 - 16.90			
%NEU	70.7 %				
%LYM	19.4 %				
%MONO	6.8 %				
%EOS	2.7 %				
%BASO	0.3 %				
NEU	4.96 K/ μ L	2.00 - 12.00			
LYM	1.36 K/ μ L	0.50 - 4.90			
MONO	0.48 K/ μ L	0.30 - 2.00			
EOS	0.19 K/ μ L	0.10 - 1.49			
BASO	0.02 K/ μ L	0.00 - 0.10			
PLT	235 K/ μ L	175 - 500			
MPV	15.4 fL				
PDW	22.5 %				
PCT	0.36 %				
Catalyst Dx (May 2, 2015 2:54 PM)					
GLU	72 mg/dL	70 - 143			
BUN	36 mg/dL	7 - 27	HIGH		
CREA	1.2 mg/dL	0.5 - 1.8			
BUN/CREA	30				
PHOS	4.2 mg/dL	2.5 - 6.8			
CA	9.4 mg/dL	7.9 - 12.0			
TP	5.8 g/dL	5.2 - 8.2			
ALB	3.0 g/dL	2.2 - 3.9			
GLOB	2.8 g/dL	2.5 - 4.5			
ALB/GLOB	1.1				
ALT	18 U/L	10 - 100			
ALKP	44 U/L	23 - 212			
GGT	< 0 U/L	0 - 7			
TBIL	< 0.1 mg/dL	0.0 - 0.8			
CHOL	159 mg/dL	110 - 320			
AMYL	368 U/L	500 - 1500	LOW		
LIPA	2209 U/L	200 - 1800			HIGH

J Dex 4 DX (New)



positive titer indicates exposure to Borrelia burgdorferi or similar antigen but does not confirm the presence of disease. Titers may be affected by vaccination or disease. In the dog, the Lyme Quant C6 Test (test code 7246) is recommended for differentiating vaccine titers vs. natural infection.

IN DOGS, we are now recommending the new Lyme Quant C6 antibody test, code 7246, as a more accurate way to diagnose Lyme disease. This test identifies C6 antibody levels. C6 is a more sensitive and specific marker for active Lyme infection. Unlike the traditional whole cell tests like Lyme IFA or Western blot, C6 levels will decline when the dog is successfully treated.

TICK PANEL		ROCKY MOUNTAIN SPOTTED FVR			
Test	Result	Reference Range	Flag	Bar Graph	
ROCKY MOUNTAIN SPOTTED FVR	POSITIVE @ 1:400				
Comments:					
Interpretation:					
If your result is:		The interpretation is:			
NEGATIVE		No antibody present @ 1:25			
POSITIVE @ (titer)		Antibody present @ (titer)			
Positive samples are tested in incremental dilutions to 1:1600. Titers beyond 1:1600 are usually of limited clinical value. If you wish an endpoint titer there is an additional charge. Singles titer of greater than or equal to 1:1024 are suggestive of active infection. Low or negative acute titers should be reevaluated in 2-3 weeks (convalescent titer).					